

Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!" AECorner15@gmail.com Office: (618) 206-8401

Home Safety Checklist

Home Entrance Zone = 1 Video(s): 1.1				
Yes No		Yes N	No	
	Steps/Ramp in good condition? Video(s): Equipment:		Video(s): 1.2 Equipment: 1.3 & 1.5	
	Steps have at least one secure rail or grab bar? Video(s): 1.2 Equipment: 1.1		Entrance has good lighting? Video(s): Equipment: 1.8	
	Steps/Ramp free of clutter? Video(s): Equipment:		Steps/Ramp have non-slip surface? Video(s): 1.2 Equipment: 1.2 & 1.4	
	Appropriate seat w/ arm rests (17-19 Video(s): Equipment:	" seat heigh	nt) close to entrance in case of fatigue?	
Notes:				



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

<u>Living Room</u> Zone = 2 Video(s): <u>2.1</u>

Yes	No		Yes	No	
П	П	Adequate lighting?	П	П	Easily accessible light switch?
		Video(s): <u>2.5</u> Equipment: <u>2.14</u>	_		Video(s): <u>2.1</u> Equipment: <u>2.8</u>
		Non-slip flooring in good condition?			Throw rugs removed or secured?
		Video(s): Equipment:			Video(s): <u>2.2</u> Equipment: <u>2.2</u> & <u>2.3</u>
		Throw rugs ripple free?			Electrical cords removed from pathway?
		Video(s): Equipment:			Video(s): <u>2.6</u> Equipment: <u>2.4</u> , <u>2.5</u> & <u>2.6</u>
		Pathways free of clutter?			
		Video(s): Equipment:			
П	П	Furniture placement appropriate for wal	lker/wh	eelcha	ir pathway?
		Video(s): <u>2.1</u> Equipment:			
П	П	Comfy chair with arm rests appropriate	height	(17-19	" seat height)?
		Video(s): <u>2.1</u> , <u>2.3</u> & <u>2.4</u> Equipment: <u>2.1</u> , <u>2.11</u> , <u>2.12</u> & <u>2.13</u>			
		Table next to seat for easy access to dr	ink, ph	one, re	motes, lights etc.?
		Video(s): <u>2.1</u> Equipment:			



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

Kitchen	Zone = 3	Video(s): 3.1
---------	----------	---------------

v			V		
Yes	No		Yes	No	
		Adequate lighting?			Easily accessible light switch?
		Video(s): Equipment: <u>3.5</u> & <u>3.7</u>			Video(s): <u>2.1</u> Equipment:
		Non-slip flooring in good condition?			Pathways free of clutter?
		Video(s): Equipment:			Video(s): Equipment:
		Throw rugs removed or secured?			Throw rugs ripple free?
		Video(s): <u>2.2</u> Equipment:			Video(s): Equipment:
		Are frequently used items stored at easy refrigerator? Video(s): 3.1 Equipment: 3.4	ily acce	essible	(waist) height including items in
		Does kitchen have a mid-point, island, kitchen items? Video(s): Equipment: 3.1, 3.2 & 3.3	table o	r walke	r tray for easy transportation of



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

<u>Stair</u>	<u>ways</u>	Zone = 4 Video(s): <u>4.1</u>			
Yes	No		Yes	No	
		Adequate lighting? Video(s): Equipment: 4.8			Easily accessible light switch at top & bottom of stairs? Video(s): 2.1 Equipment:
		Non-slip step surfaces in good condition? Video(s): Equipment: 4.2, 4.3, 4.4 & 4.5			Stairs free of clutter? Video(s): 4.1 Equipment:
		Handrails secure (handrails on both sideo(s): 1.2 Equipment: 4.1 & 4.7	des of st	airs pr	referred) & clearly visible?
		Carpeted stairs free of tears and ripple	es?		

Notes:

Video(s): Equipment:



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

Bedroom Zone = 5 Video(s): 5.1

Yes	No		Yes	No	
		Non-slip flooring in good condition? Video(s): Equipment:			Pathway free of clutter? Video(s): Equipment:
		Electrical cords removed from pathways? Video(s): 2.6 Equipment: 2.5			Lamp next to bed easily within reach? Video(s): 5.1 Equipment:
		Adequate lighting? Video(s): Equipment:			Easily accessible light switch? Video(s): Equipment: 5.10
		Clear path from bed to bedroom? Video(s): Equipment:			Adequately lit path to bathroom with night lights? Video(s): Equipment: 5.8 & 5.9
		Throw rugs removed or secured? Video(s): 2.2 Equipment:			Throw rugs free of ripples? Video(s): Equipment:
		Bed height too high or too low? Video(s): 5.2 Equipment: 5.4, 5.5 & 5.12			Needs help in/out of bed? Video(s): Equipment: 5.1, 5.2, 5.3 & 5.6
		Table next to bed for easy access to phe Video(s): 5.1 Equipment:	one, dr	ink, fla	shlight, remotes etc.?



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

<u>Bathroom</u>	Zone = 6 Video(s):			
Yes No		Yes	No	
	Pathways free of clutter? Video(s): Equipment:			Non-slip flooring in good condition? Video(s): Equipment: <u>6.8</u>
	Secure grab bars in tub/shower area? Video(s): 6.4 Equipment: 6.5 & 6.9			Night lights? Video(s): 2.5 Equipment: 6.14 & 6.15
	Adequate lighting? Video(s): 2.5 Equipment: 6.14 & 6.15			Easily accessible light switch? Video(s): Equipment:
	Non-slip bath mat outside tub/ shower? Video(s): <u>6.4</u> Equipment: <u>6.13</u>			Bath mat or non-slip strips in shower or tub? Video(s): 6.4 Equipment: 6.7 & 6.8
	Throw rugs removed or secured? Video(s): 2.2 Equipment:			Throw rugs free of ripples? Video(s): 2.2 Equipment:
	Is toilet seat riser needed? Video(s): 6.1, 6.2 & 6.3 Equipment: 6.2			
	Appropriate toilet height (ADA toilet sea Video(s): Equipment:	at 17-19	9" abov	ve floor)?
	Appropriate hand placement for push of Video(s): 6.1 Equipment: 6.1, 6.3 & 6.4	off wher	n gettin	g up from toilet (grab bar, toilet rail?



Adaptive Equipment & Caregiving Corner "If you can't do it, adapt it!" AECorner15@gmail.com Office: (618) 206-8401

<u>Bath</u>	room(c	cont.) Zone = 6 Video(s):
Yes	No	
		Appropriate equipment in a walk-in shower for sitting during shower?
		Video(s): <u>6.4</u> Equipment: <u>6.6</u> , <u>6.11</u> & <u>6.12</u>
П	П	Appropriate equipment in tub/shower combo for sitting during shower?
	_	Video(s): <u>6.4</u> & <u>6.5</u> Equipment: <u>6.6</u> & <u>6.10</u>
Note	s:	



Adaptive Equipment & Caregiving Corner

"If you can't do it, adapt it!"
AECorner15@gmail.com
Office: (618) 206-8401

Contract Carety Tipe	General Safety Tips	Zone = 7	Video(s):
----------------------	---------------------	----------	-----------

Yes	No	Yes No
		Night lights available? Does walker fit through doorways?
		Video(s): 2.5Video(s): 7.1Equipment: 7.8 & 7.9Equipment:
		Do shoes fit well & have non-slip soles (avoid slip-on shoes)?
		Video(s): Equipment:
	П	Non-skid socks available when going without shoes in the home?
		Video(s): Equipment: <u>7.7</u>
П		Can clothing become a tripping hazard?
_		Video(s): Equipment:
П	П	Will pets cause a tripping hazard when walking through the home?
		Video(s): Equipment:
П	П	Is a phone within reach or loved-one wearing a personal response system device?
		Video(s): Equipment:
		Is walker basket or tray available for safely transporting items?
		Video(s): <u>3.1</u> Equipment: <u>7.4</u> & <u>7.5</u>



Adaptive Equipment & Caregiving Corner "If you can't do it, adapt it!" AECorner15@gmail.com

Office: (618) 206-8401

<u>Gene</u>	rai Sa	<u>ifety Lips</u> (cont.) Zon	e = /	Video(s):
Yes	No			
		Cleaning material availab Video(s): Equipment:	ble for cle	eaning up spills immediately?
		Does loved-one know to standing in order to help Video(s): Equipment:		owly when changing positions from lying to sitting to dizziness?
Note	s:			